

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("7607120").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/03/02 13:48
S2	2869	simulat\$3 with instruction with set	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 13:48
S3	1586	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 13:48
S4	71	S3 and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 13:49
S5	10355	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 14:00
S6	83	S5 same template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 14:00
S7	15817	(customiz\$5 or modify\$3 or modification) with template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 14:04
S8	185	S5 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 14:04

S9	44739	((703/\$3) or (717/\$3)). COLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/03/02 14:04
S10	59	S8 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 14:04
S11	10025	mask\$3 with instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 14:12
S12	26	S3 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 14:12
S13	5015	mask\$3 with template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 14:16
S15	14	S13 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 14:16
S16	92	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture)) with (retarget\$4 or generic or customiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 14:18
S17	320	mask with instruction near4 (type or class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 15:15
S18	1586	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 15:30

S19	2	S18 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 15:30
S20	10355	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 15:31
S21	60	S20 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 15:31
S22	57	S21 and "39"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 15:33
S23	44739	((703/\$3) or (717/\$3)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/03/02 15:33
S24	4	S21 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/02 15:33
S25	91	(generic or template) with instruction near4 (specification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/03 12:28
S26	1586	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/03 12:28
S27	3	S25 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/03 12:28

S28	10369	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/03 12:36
S29	6	S25 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/03 12:36
S30	162	(generic or template) with instruction near4 model	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/03 12:38
S31	10	S28 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/03 12:38
S32	61325	instruction near4 (type or class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/03 13:27
S33	132	S32 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/03 13:27
S34	56	S33 and (mask\$3 or pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/03 13:28
S35	610	(generic or template) with instruction near4 (class or type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:09
S36	116965	common with (behavior or feature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:10

S37	24	S35 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:10
S38	22	common same S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:11
S39	8	S38 and (simulat\$3 or emulat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:11
S40	10369	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:16
S41	28	S40 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:16
S42	70	S35 and (simulat\$3 or emulat\$3) and (mask or pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:16
S43	24	S35 same (mask or pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:16
S44	233	S35 and (mask or pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:43
S45	70	S44 and (simulat\$3 or emulat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:43

S46	9	S44 and (simulat\$3 or emulat\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:43
S47	612	(common) with instruction near4 (class or type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:50
S48	258	S47 and (mask or pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:50
S49	16	S48 and (simulat\$3 or emulat\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 14:50
S50	1200	(generic or template or common) with instruction near4 (class or type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:04
S51	13	S50 and wildcard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:04
S52	846	(mask or pattern) with instruction near4 (class or type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:18
S53	27	S52 and (simulat\$3 or emulat\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:19
S54	86	S52 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:19

S55	14054	(generic or template) with instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:39
S56	571	S55 same (mask or pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:39
S57	19	S56 and (simulat\$3 or emulat\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:39
S58	1114	(generic or template) with instruction with determin\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:41
S59	78	S58 same (mask or pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:41
S60	367	S55 with (mask or pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:46
S61	4938	"same" with (type or class) with instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:48
S62	107	S61 with (mask or pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:48
S63	14	S61 with (mask )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:48

S64	1	S62 and (wildcard or "wild-card" or wild adj card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:49
S65	3	S62 and (simulat\$3 or emulat\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:50
S66	7651	"same" with (type or class or group) with instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:51
S67	40	S66 with (mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 15:51
S68	784	decod\$3 with mask with instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:03
S69	11	S68 and (simulat\$3 or emulat\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:04
S70	84	S66 and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:06
S71	11	S69 and (simulat\$3 or emulat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:07
S72	197	S68 and (simulat\$3 or emulat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:09



S73	1008	mask\$3 with (type or class or group) with instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:14
S74	132	pattern near4 match\$3 with (type or class or group) with instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:14
S75	14	S73 and (simulat\$3 or emulat\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:17
S76	9740	(identify\$3 or identification or determin\$5) with (type or class or group) near4 instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:25
S77	2174	S76 and (mask\$3 or pattern near4 match\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:25
S78	74	S77 and (simulat\$3 or emulat\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:25
S79	233	S76 same (mask\$3 or pattern near4 match\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:25
S80	363	S77 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:26
S81	61	S79 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 16:26

S82	9751	((identify\$3 or identification or determin\$5) with (type or class or group) near4 instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 13:31
S83	104	S82 with (mask\$3 or pattern near4 match\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 13:31
S84	6159	customiz\$5 with template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 14:47
S85	1589	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 14:48
S86	3	S84 and S85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 14:48
S87	10383	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 14:48
S88	59	S84 and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 14:48
S89	25	("4077058"   "4245302"   "4253145"   "4587612"). PN. OR ("4794522"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/03/08 14:55
S90	607	S87 and template and compil\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 14:56

S91	37	S85 and template and compil\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 14:57
S92	6	customiz\$5 with template same compile near4 time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 15:02
S93	129	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture)) with compiled	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 15:12
S94	32	S93 and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 15:12
S95	98	S93 and (customiz\$5 or modification or modify\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 15:12
S96	2	S93 and (customiz\$5 or modification or modify\$3) with (template or macro)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 16:05
S97	24	S93 and macro	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 16:06
S98	5663	optimiz\$5 with (macro or template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 16:49
S99	297	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture)) with compil\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 16:49

S100	6	S98 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 16:49
S101	10	S98 and S85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/08 16:50
S102	297	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture)) with compil\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 10:42
S103	96	S102 and (macro or template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 10:42
S104	354	(classify\$3 or classification) with (instruction near4 (type or class))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 10:42
S105	1	S103 and S104	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 10:42
S106	6759	(classify\$3 or classification) with (instruction )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 10:43
S107	2	S106 and S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 10:43
S108	183	S102 and optimiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 11:30

S109	6	S106 and S108	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 11:31
S110	1589	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 14:08
S111	1658	self near2 modifying	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 14:08
S112	11	S110 and S111	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 14:08
S113	146	detect\$3 with self near2 modifying	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 14:13
S114	18	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture)) and S113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 14:13
S115	192	(identify\$3 or identification or detect\$3) with self near2 modifying	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 14:14
S116	21	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture)) and S115	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 14:14

S117	20	("5507030"   "5560013"   "5761477"   "6031992"   "6397379"   "6502237"   "6634023"   "6704925"   "6732220"   "6820255"   "6941545"   "6954923"   "6993751"   "7047394"). PN. OR ("7107580"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/03/09 15:12
S118	71	switch\$3 with interpretat \$3 near4 mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 15:24
S119	0	S115 and S118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 15:24
S120	0	self near2 modifying and S118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/09 15:24
S121	3627	instruction with (model or specification or declaration) with (type or class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 09:38
S122	18	generic with instruction with (model or specification or declaration) with (type or class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 09:38
S123	10391	((simulat\$3 or emulat\$3) with ((instruction near4 set) or architecture))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 09:39
S124	203	S121 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 09:39

S125	93	S124 and (object near4 oriented)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 09:39
S126	61422	((703/\$3) or (717/\$3) or (716/\$3)).COLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/03/10 09:50
S127	110	S124 and S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 09:50
S128	1	("20030217248").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/03/10 10:01
S129	415	S121 with ((at adj least adj one) or (one near2 more))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:04
S130	14	S123 and S129	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:04
S131	61464	instruction near4 (type or class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:08
S132	1628	S121 and S131	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:08
S133	45387	instruction with (model or specification or declaration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:09

S134	3747	S131 with ((at adj least adj one) or (one near2 more))	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:09
S135	595	S133 and S134	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:09
S136	129	S123 and S135	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:09
S137	3	S123.ab. and S135	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:10
S138	3747	S131 and S134	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:11
S139	12	S123.ab. and S138	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:11
S140	342016	(instruction or operation) near4 (type or class)	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:14
S141	1947	S140 and S121	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:15
S142	183	S141 and S123	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:15



S143	9	S141 and S123.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:15
S144	9436	S140 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:22
S145	27389	base near4 class	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:22
S146	416	S145 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:22
S147	89	S123 and S146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:22
S148	4367	(base or common) near4 (instruction or operation) near4 (class or type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:23
S149	277	S133 and S148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:23
S150	68	S123 and S149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:23
S151	15	S123.ab. and S148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:31

S152	148	S123 and S148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:34
S153	151	S148 same (mask\$3 or pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:37
S154	0	S123 and S153	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:37
S155	54	S148 with (mask\$3 or pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:37
S156	94	(identify\$3 or identification or classify\$3 or classification) near4 (instruction or operation) near4 (class or type) with (mask\$3 or pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:38
S157	1	S156 and S148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 10:38
S158	18556	instruction with specification	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 12:17
S159	38	(instruction or operation) with class with (switch or conditional) near4 statement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 12:18
S160	1	("20050160402").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2011/03/10 12:33

## EAST Search History (Interference)

< This search history is empty >

**3/ 10/ 2011 2:04:17 PM**

**C:\ Documents and Settings\ jwang4\ My Documents\ EAST\ Workspaces  
 \ 10599593\_amendment\_3-2-2011.wsp**